

DABEN

One Stop Hotel & Resorts Supply



PRODUCTS
CATALOG

www.resortssupply.com



A827 SERIES GOLF CART



Model No.	DB-A827.2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2740*1210*1820mm
Ground clearance	120mm
Tread distance	Front905mm/rear1000mm
Net weight	560kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.2m
Climbing ability	30%
Maximum mileage	100km



Model No.	DB-A827.2+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2785*1210*1910mm
Ground clearance	120mm
Tread distance	Front905mm/rear1000mm
Net weight	585kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.2m
Climbing ability	25%
Maximum mileage	100km



Model No.	DB-A827.4
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	3360*1210*1900mm
Ground clearance	120mm
Tread distance	Front905mm/rear1000mm
Net weight	590kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.45m
Climbing ability	25%
Maximum mileage	90km
Size of cargo box	1170*610*265mm

* The Picture Is Only For Reference

Model No.	DB-A827.4+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3615*1210*1905mm
Ground clearance	120mm
Tread distance	Front905mm/rear1000mm
Net weight	585kg
Loading	6 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.45m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-A827.H8
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3630*1210*1840mm
Ground clearance	150mm
Tread distance	Front905mm/rear1000mm
Net weight	605kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.5m
Climbing ability	20%
Maximum mileage	85km
Size of cargo box	1820*1150*265mm

Model No.	DB-A827.6
Motor	48V/4KW
Battery	8V*6
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	4405*1210*1915mm
Ground clearance	120mm
Tread distance	front895mm/rear1000mm
Net weight	700kg
Loading	6 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.8m
Climbing ability	20%
Maximum mileage	85km
Size of cargo box	1170*610*265mm



▼ A827 LIFTED GOLF CART

Model No.	DB-A827.2+2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2930*1370*2060mm
Ground clearance	185mm
Tread distance	Front1020/rear1070mm
Net weight	610kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.45m
Climbing ability	20%
Maximum mileage	90km

Model No.	DB-A827.6+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4650*1210*1900mm
Ground clearance	120mm
Tread distance	Front895mm/rear1000mm
Net weight	695kg
Loading	8 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.8m
Climbing ability	15%
Maximum mileage	80km



Model No.	DB-A827.4+2G
Motor	48V/4KW
Battery	8V*6
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	3700*1320*2030 mm
Ground clearance	170mm
Tread distance	Front1024/rear1074mm
Net weight	683kg
Loading	6 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.65m
Climbing ability	15%
Maximum mileage	80km



A627 SERIES GOLF CART



Model No.	DB-A627.2
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2400*1200*1800mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	470kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	2.95m
Climbing ability	30%
Maximum mileage	100km



Model No.	DB-A627.2+2
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2790*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	525kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	2.9m
Climbing ability	25%
Maximum mileage	100km



Model No.	DB-A627.4
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	3160*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	510kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4m
Climbing ability	25%
Maximum mileage	100km

* The Picture Is Only For Reference

Model No.	DB-A627.4+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3560*1228*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	565kg
Loading	6 people
Forward speed	25km/h
Braking dist	3m
Turning radius	4.1m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-A627.6
Motor	48V/4Kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3950*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	550kg
Loading	6 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	5.1m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-A627.6+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4280*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	605kg
Loading	8 people
Forward speed	25km/h
Braking dist	3.5m
Turning radius	5.1m
Climbing ability	18%
Maximum mileage	80km



A627- LIFTED GOLF CART



Model No.	DB-A627.2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2400*1305*2020mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	475kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.6m
Climbing ability	30%
Maximum mileage	90km



Model No.	DB-A627.2+2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2760*1305*2020mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	530kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.6m
Climbing ability	25%
Maximum mileage	90km



Model No.	DB-A627.4G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3160*1305*2040mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	515kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.05m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-A627.4+2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3530*1305*2050mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	570kg
Loading	6 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.05m
Climbing ability	20%
Maximum mileage	80km



♥ AG27 SERIES CARGO CAR

Model No.	DB-A627.H8
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3550*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	580kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4m
Climbing ability	18%
Maximum mileage	80km
Size of cargo box	1835*1100*265mm



Model No.	DB-A627.H8G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3780*1360*2040mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	595kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.9m
Climbing ability	20%
Maximum mileage	90km
Size of cargo box	1835*1100*265mm



A617 SERIES GOLF CART



Model No.	DB-A617.2
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2400*1200*1800mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	470kg
Loading	2 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	2.95m
Climbing ability	30%
Maximum mileage	100km



Model No.	DB-A617.2+2
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2790*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	525kg
Loading	4 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	2.9m
Climbing ability	25%
Maximum mileage	100km



Model No.	DB-A617.4
Motor	48V/4kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	3160*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	510kg
Loading	4 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	4m
Climbing ability	25%
Maximum mileage	100km

* The Picture Is Only For Reference

Model No.	DB-A617.4+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2400*1305*2020mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	475kg
Loading	2 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	3.6m
Climbing ability	30%
Maximum mileage	90km



Model No.	DB-A617.6
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3950*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	550kg
Loading	6 people
Forward speed	25km/h
Braking dist	< 6m
Turning radius	5.1m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-A617.6+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4280*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1050mm
Net weight	605kg
Loading	8 people
Forward speed	25km/h
Braking dist	3.5m
Turning radius	5.1m
Climbing ability	18%
Maximum mileage	80km



A617-LIFTED GOLF CART



Model No.	DB-A617.2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2400*1305*2020mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	475kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.6m
Climbing ability	30%
Maximum mileage	90km



Model No.	DB-A617.2+2G
Motor	48V/4Kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	2760*1305*2020mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	530kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	3.6m
Climbing ability	25%
Maximum mileage	90km



Model No.	DB-A617.4G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3160*1305*2040mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	515kg
Loading	4 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.05m
Climbing ability	25%
Maximum mileage	90km



Model No.	DB-A617.4+2G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3530*1305*2050mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	570kg
Loading	6 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	5.05m
Climbing ability	20%
Maximum mileage	80km

♥ A617 SERIES CARGO CAR

Model No.	DB-A617.H8
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3550*1200*1880mm
Ground clearance	110mm
Tread distance	Front900/rear1000mm
Net weight	580kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4m
Climbing ability	18%
Maximum mileage	80km
Size of cargo box	1835*1100*265mm



Model No.	DB-A617.H8G
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3780*1360*2040mm
Ground clearance	160mm
Tread distance	Front1060/rear1050mm
Net weight	595kg
Loading	2 people
Forward speed	25km/h
Braking dist	<6m
Turning radius	4.9m
Climbing ability	20%
Maximum mileage	90km
Size of cargo box	1835*1100*265mm





A SERIES GOLF CART



Model No.	DB-A2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2390*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	495kg
Loading	2 people
Forward speed	25km/h
Braking dist	4.9m
Turning radius	3.5m
Climbing ability	30%
Maximum mileage	100km



Model No.	DB-A2+2
Motor	48V/4Kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	2730*1200*1880mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	550kg
Loading	4 people
Forward speed	25km/h
Braking dist	3.7m
Turning radius	3.5m
Climbing ability	25%
Maximum mileage	100km



Model No.	DB-A4
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	3070*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	570kg
Loading	4 people
Forward speed	25km/h
Braking dist	4.5m
Turning radius	4.2m
Climbing ability	25%
Maximum mileage	100km

* The Picture Is Only For Reference

Model No.	DB-A4+2
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3400*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	592kg
Loading	6 people
Forward speed	25km/h
Braking dist	3.4m
Turning radius	4.7m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-A8
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3778*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	665kg
Loading	8 people
Forward speed	25km/h
Braking dist	4.5m
Turning radius	5.8m
Climbing ability	18%
Maximum mileage	80km



Model No.	DB-A8+3
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4120*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	682kg
Loading	11 people
Forward speed	25km/h
Braking dist	4.5m
Turning radius	5.8m
Climbing ability	15%
Maximum mileage	80km



♥ A SERIES UTILITY CAR

Model No.	DB-A2.H8
Motor	48V/4Kw
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3565*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	602kg
Loading	2 people
Forward speed	25 km/h
Braking dist	4.3m
Turning radius	4.4m
Climbing ability	20%
Maximum mileage	100km
Size of cargo box	1835*1100*265mm



Model No.	DB-A2.GC
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3510*1200*1900mm
Ground clearance	110mm
Tread distance	Front880/rear990mm
Net weight	630kg
Loading	300kg
Forward speed	25km/h
Braking dist	3.8m
Turning radius	4.8m
Climbing ability	18%
Maximum mileage	90km flat road
Size of cargo box	1800*1150*1200mm



Model No.	DB-A2.IHS
Motor	48V/4KW
Battery	8V*6
Charger	Computer intelligent charger
Transaxle	12.31:1
Overall Size	3130*1230*1900mm
Ground clearance	Front880/rear990mm
Tread distance	110mm
Net weight	370kg
Loading	3 people
Forward speed	25km/h
Braking dist	4.9m
Turning radius	4.1m
Climbing ability	20%
Maximum mileage	100km



S SERIES SIGHTSEEING BUS



Model No.	DB-S8
Motor	48V 5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3860*1480*2100mm
Ground clearance	180mm
Tread distance	Front1280/rear1320mm
Net weight	890kg
Loading	8 people
Forward speed	30km/h
Braking dist	3.5m
Turning radius	4.8m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S8+3
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4230*1480*2100mm
Ground clearance	180mm
Tread distance	Front1280/rear1320mm
Net weight	1050kg
Loading	11 people
Forward speed	30km/h
Braking dist	3.5m
Turning radius	4.8m
Climbing ability	20%
Maximum mileage	120km



Model No.	DB-S11.B
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4590*1480*2100mm
Ground clearance	180mm
Tread distance	Front1280/rear1320mm
Net weight	1120kg
Loading	11 people
Forward speed	30km/h
Braking dist	4.9m
Turning radius	5.5m
Climbing ability	20%
Maximum mileage	110km



* The Picture Is Only For Reference


Model No.	DB-S14
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4960*1480*2100mm
Ground clearance	180mm
Tread distance	Front1305/rear1325mm
Net weight	1190kg
Loading	14 people
Forward speed	30km/h
Braking dist	4m
Turning radius	5.5m
Climbing ability	20%
Maximum mileage	120km



Model No.	DB-S14.F
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	5100*1560*2010mm
Ground clearance	170mm
Tread distance	Front1305/rear1325mm
Net weight	1420kg
Loading	14 people
Forward speed	30km/h
Braking dist	≤6m
Turning radius	5.1m
Climbing ability	18%
Maximum mileage	100km



Model No.	DB-S23
Motor	72V/11kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	18:1
Overall Size	5750*1800*2240mm
Ground clearance	250mm
Tread distance	Front1440/rear1595mm
Net weight	1670kg
Loading	23 people
Forward speed	28km/h
Braking dist	4.9m
Turning radius	6.4m
Climbing ability	10%
Maximum mileage	90km



ELECTRIC CLASSIC CAR



Model No.	DB-S4.FA
Motor	48V/4kw
Battery	8V*6
Charger	computer intelligent charger
Transaxle	12.31:1
Overall Dimension	3450*1490*1900mm
Ground clearance	142mm
Tread distance	Front1200/rear1300mm
Net weight(with battery)	Unknown
Loading	4 people
Forward speed	35km/h
Braking distance	≤4m
Turning radius	3.5m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S6.FA
Motor	48V/5kw
Battery	6V*8
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	4250*1490*1940mm
Ground clearance	142mm
Tread distance	Front1200/rear1300mm
Net weight	Unknown
Loading	6 people
Forward speed	30km/h
Braking dist	≤4m
Turning radius	3.5m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S8.FA
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	5050*1490*1940mm
Ground clearance	142mm
Tread distance	Front1210/rear1300mm
Net weight	980kg
Loading	8 people
Forward speed	30km/h
Braking dist	4.3m
Turning radius	6.7m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S6.FB
Motor	48V/5kw
Battery	6V*8
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	4200*1500*1950mm
Ground clearance	142mm
Tread distance	Front1200/rear1300mm
Net weight	Unknown
Loading	6 people
Forward speed	30km/h
Braking dist	≤4m
Turning radius	3.5m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S8.FB
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	5000*1500*1950mm
Ground clearance	142mm
Tread distance	Front1200/rear1210mm
Net weight	990kg
Loading	8 people
Forward speed	30km/h
Braking dist	4.9m
Turning radius	6.7m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S11.FC
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	5450*1490*1940mm
Ground clearance	150mm
Tread distance	Front1240/rear1320mm
Net weight	1200kg
Loading	11 people
Forward speed	30km/h
Braking dist	< 6m
Turning radius	11m
Climbing ability	20%
Maximum mileage	110km



ELECTRIC VV CART



Model No.	DB-S2.DB
Motor	60V/4kw
Battery	Maintenance free battery, 12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm, 800W
Transaxle	12.49:1
Overall Size	2020*1290*1610mm
Ground clearance	120mm
Tread distance	Front1080/rear1116mm
Net weight	635kg
Loading	2 people
Forward speed	40km/h
Braking dist	4m
Turning radius	3.5m
Climbing ability	20%
Maximum mileage	70-105km



Model No.	DB-S4.DB
Motor	60V/4kw
Battery	Maintenance free battery, 12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm, 800W
Transaxle	12.49:1
Overall Size	2760*1290*1610mm
Ground clearance	120mm
Tread distance	Front1080/rear1116mm
Net weight	685kg
Loading	4 people
Forward speed	40km/h
Braking dist	5m
Turning radius	4.9m
Climbing ability	15%
Maximum mileage	50-95km



Model No.	DB-S2.DBH
Motor	60V/4kw
Battery	Maintenance free battery, 12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm, 800W
Transaxle	12.49:1
Overall Size	2675*1260*1640
Ground clearance	130mm
Tread distance	front1085/rear1120mm
Net weight	695kg
Loading	2 people
Forward speed	40km/h
Braking dist	8.6m
Turning radius	4.5m
Climbing ability	15%
Maximum mileage	70-90km
Size of cargo box	980*1170*300mm

* The Picture Is Only For Reference



ELECTRIC MINI CAR



Model No.	DB-S2.DC
Motor	60V/4kw
Battery	Maintenance free battery,12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm,800W
Transaxle	12.49:1
Overall Size	2173*1380*1670mm
Ground clearance	120mm
Tread distance	Front1165/rear1290mm
Net weight	710kg
Loading	2 people
Forward speed	40km/h
Braking dist	5.2m
Turning radius	4.5m
Climbing ability	20%
Maximum mileage	120-140km



Model No.	DB-S4.DC
Motor	60V/4kw
Battery	Maintenance free battery,12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm,800W
Transaxle	12.49:1
Overall Size	2860*1380*1750mm
Ground clearance	120mm
Tread distance	Front1170/rear1200mm
Net weight	770kg
Loading	4 people
Forward speed	30km/h
Braking dist	5.2m
Turning radius	5m
Climbing ability	20%
Maximum mileage	105-125km



Model No.	DB-S2.DCH
Motor	60V/4kw
Battery	Maintenance free battery,12V*5
Charger	Computer intelligent charger
Air Conditioner	Cool and warm,800W
Transaxle	12.49:1
Overall Size	3300*1380*1750mm
Ground clearance	120mm
Tread distance	Front1140/rear1175mm
Net weight	750kg
Loading	2 people
Forward speed	40km/h
Braking dist	5.5m
Turning radius	5.2m
Climbing ability	20%
Maximum mileage	90-110km
Size of cargo box	2000*1400*265mm

* The Picture Is Only For Reference



UTILITY VEHICLE



Model No.	DB-S2.B.HY6
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4130*1496*1920mm
Ground clearance	180mm
Tread distance	Front1200/rear1300mm
Net weight	1150kg
Loading	2 people
Forward speed	30km/h
Braking dist	4m
Turning radius	5.3m
Climbing ability	15%
Maximum mileage	100km
Size of cargo box	2480*1426*500mm



Model No.	DB-S2.B.HP
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4015*1496*1920mm
Ground clearance	180mm
Tread distance	Front1200/rear1300mm
Net weight	1050Kg
Loading	800kg
Forward speed	30km/h
Braking dist	4m
Turning radius	5.2m
Climbing ability	15%
Maximum mileage	90km flat road
Size of cargo box	2712*1430*265mm



Model No.	DB-S2.B.HX
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3970*1496*2020mm
Ground clearance	180mm
Tread distance	Front1200/rear1300mm
Net weight	1080kg
Loading	2 people
Forward speed	30km/h
Braking dist	4m
Turning radius	5.3m
Climbing ability	15%
Maximum mileage	90km
Size of cargo box	2480*1430*1260mm

* The Picture Is Only For Reference



PATROL CAR & FIRE-FIGHTING CAR



Model No.	DB-S4.PAC
Motor	48V 5kw
Battery	6V*8
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	3550*1500*2050mm
Ground clearance	170mm
Tread distance	Front1280/rear1310mm
Net weight	820kg
Loading	4 people
Forward speed	30km/h
Braking dist	6.1m
Turning radius	5m
Climbing ability	20%
Maximum mileage	110km



Model No.	DB-S4.PAF
Motor	48V 5kw
Battery	6V*8
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	3550*1500*2050mm
Ground clearance	170mm
Tread distance	Front1280/rear1310mm
Net weight	900kg
Loading	4 people
Forward speed	30km/h
Braking dist	4m
Turning radius	5m
Climbing ability	20%
Maximum mileage	100km



Model No.	DB-S6.PAC
Motor	48V/5kw
Battery	6V*8
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4185*1500*2000mm
Ground clearance	Front1280/rear1310mm
Tread distance	120mm
Net weight	850kg
Loading	6 people
Forward speed	30km/h
Braking dist	4.6m
Turning radius	4.8m
Climbing ability	20%
Maximum mileage	100km

* The Picture Is Only For Reference

Model No.	DE-S4.DBP
Motor	60V/4kw
Battery	12V*5
Charger	computer intelligent charger
Air Conditioner	Cool and warm,800W
Transaxle	12.49:1
Overall Size	2760*1290*1610mm
Ground clearance	front1080/rear1116mm
Tread distance	120mm
Net weight	685kg
Loading	4 people
Forward speed	40km/h
Braking dist	5m
Turning radius	4.9m
Climbing ability	20%
Maximum mileage	90km



Model No.	DB-S4.PBF
Motor	60V/4kw
Battery	12V*5
Charger	Computer intelligent charger
Transaxle	12.49:1
Overall Size	2760*1290*1610mm
Ground clearance	Front1140/rear1175mm
Tread distance	120mm
Net weight	760kg
Loading	4 people
Forward speed	40km/h
Braking dist	5.2m
Turning radius	5.5m
Climbing ability	20%
Maximum mileage	110-130km



Model No.	DB-S6.PBF
Motor	72V/7.5kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	4230*1480*2100mm
Ground clearance	180mm
Tread distance	Front1280/rear1320mm
Net weight	1050kg
Loading	11 people
Forward speed	30km/h
Braking dist	3.5m
Turning radius	4.8m
Climbing ability	20%
Maximum mileage	120km



Model No.	DB-S2.XF
Motor	48V/5kw
Battery	6V*8
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	3875*1432*2000mm
Ground clearance	Front1280/rear1310mm
Water tank capacity	500L
Tread distance	130mm
Net weight	1075kg
Loading	2 people
Forward speed	30km/h
Braking dist	5.4m
Turning radius	5.2m
Climbing ability	15%
Maximum mileage	90km

Model No.	DB-S4.XF
Motor	72V/5kw
Battery	6V*12
Charger	computer intelligent charger
Transaxle	16:1
Overall Size	4665*1518*2160mm
Ground clearance	165mm
Tread distance	Front1290/rear1330mm
Water tank capacity	800L
Net weight	1350kg (with fire-fighting equipment)
Loading	4 people
Forward speed	30km/h
Braking dist	5.4m
Turning radius	5.9m
Climbing ability	15%
Maximum mileage	100km



Model No.	DB-S2.XFB
Motor	72V/11kw
Battery	6V*12
Charger	Computer intelligent charger
Transaxle	16:1
Overall Size	3970*1496*2020mm
Ground clearance	180mm
Tread distance	Front1200/rear1300mm
Net weight	1300kg
Loading	2 people
Forward speed	30km/h
Braking dist	4m
Turning radius	5.6m
Climbing ability	10%
Maximum mileage	90km



Cooperation Case

DABEN
One Stop Hotel & Resorts Supply

DABEN
One Stop Hotel & Resorts Supply

Selling Point



Electric Golf Cart with Solar Panels



Indoneisa Golf Course



Lvtong Cart in CIBE Shanghai



Lvtong Cart in Iran Exhibition



Lvtong Classic Cart in Vietnam



Lvtong Golf Cart in Malaysia



Lvtong Golf Cart in Russia



Lvtong Golf Cart in USA



Lvtong Lifted Cart in USA



Lvtong Sightseeing Bus in Poland



Lvtong Sightseeing Bus in Turkey



Lvtong Sightseeing Bus with Solar panets



Cairo international airport, Egypt



Xiamen BRICS Summit



Golf Exhibition in USA 2015



German CeMAT



Suspension system
Independent shock absorber
Make people more comfortable



Cowl
Graceful, unique, could suffer
40-ton truck rolling



Dashboard
Convenient for operation,
Humanized design concept



Battery
Maintenance Free Battery



Shock absorber
Adopting automobile steering
system design, independent
suspension system



AC Motor
4 KW output, strong torque,
stable performance, high
temperature resistant, good
sealing performance.



Bumper
strong enhancement bumper
is the best choice for collision
absorption.



Controller
Toyota AC Controller



Braking cables
Lvtong unique brake cable is
protected by rubber cover.
There is rubber seal inside
preventing from dust and water.



Pedals
Integrating acceleration, brake and
parking together. Braking distance
is adjustable.



Chassis
High tensile steel welding structure,
electrophoresis treatment for the whole
chassis enhances the anti-corrosive and
anti-rust performance



Transaxle
Continuously variable transaxle
no noise



Accessories

DABEN
One Stop Hotel & Resorts Supply

DABEN
One Stop Hotel & Resorts Supply

Accessories



Artificial Seat Cushion



Fabric Seat Cushion



Light Kits



Tires



Wheel Cover



Onboard Charger



Offboard Charger



Combination Instruments



Mirror



Police Lamp



Push-pull type battery loading and unloading frame



Wiper



Sunshine Cover



Charging Plug



Meal Boxes



Steering



Solar Panels



Rear Canopy



Battery Tray



Manual Handle



Dustbin



Ice Box



Caddie Plate



Rear Basket



Sand Box



Sand Rake



Ball Washer



Foldable Seat



Golf Bag Attachment



Rain curtain



Cargo Box




Music Player

DABEN INDUSTRIAL(HK) LIMITED

Daben Industrial (HK) Limited is an one-stop luxury hotel and resorts supplier that established in 2005. We adhere to providing hotel and resorts's owner and management with fully integrated service and innovative solutions with your purchasing needs.

Within next 10 years, we will do:

- Continue to supply general items, such as F&B, Guestroom and Entertainment etc.
- Make our own brand products, such as Tricycle, Bicycle, Glassware etc.
- Expand our business to more countries, such as Mauritius, Malaysia, Oman, Qatar, Seychelles, Saipan, Sri Lanka, Singapore, Thailand, Vietnam, Indonesia etc.



Now, many hotels and resorts regard Daben as one of their most important supplier, like:

Anantara Veli Resort & Naladhu Maldives, AVANI Seychelles Barbarons Resort & Spa, Banyan Tree Maldives Vabbinfaru, Buccament Bay Resort, Centara Hotels & Resorts, Conrad Maldives Rangali Island, CONSTANCE Halaveli, Coral Strand Hotel, Four Seasons Resorts Maldives Landaa Giraavaru, Hilton Seychelles Labriz Resort & Spa, Meeru Island Resort & Spa, One&Only Hayman Island, One & Only the Palm Dubai, Park Hyatt Maldives Hadahaa, Shangri-La's Villingili, Sheraton Maldives Fullmoon Resort & Spa, W Retreat & Spa Maldives, Four Seasons Resort Seychelles, Laamu By Six Senses, St. Regis Maldives Vommuli Resor etc. Please consider us as a trusted supplier, we will offer you our wholehearted service and best selling products.

CONTACT INFO



Contact Person: Ben



+86 13613068266
+86(0755)23943956



ben@resortssupply.com



Rm709, 7th Floor, Bldg 3rd,
HanYu Fortune Plaza, FuYong
Town, Bao An District, Shenzhen,
China.

